



# Racores JIC 37°

Raccords JIC 37°

JIC 37° fittings

Raccordi JIC 37°


# Racores JIC 37°

Raccords JIC 37° | JIC 37° fittings | Raccordi JIC 37°


## ▶ Tuercas y férulas JIC 37° | Écrous et Férules JIC 37° | Nuts and Sleeves | Dadi e Bussole JIC 37°



S110



S120




S120-W

## ▶ Tapones JIC 37° | Bouchons JIC 37° | JIC 37° Plugs | Tappi JIC 37°



S130



S140

## ▶ Uniones rectas JIC 37° | Unions droites JIC 37° | JIC 37° Straight union | Adattatori diritti JIC 37°



S260




S730



S200




S230




S210



S220




S250



S240

## ▶ Uniones macho-hembra JIC 37° | Unions mâle JIC 37° x femelle JIC 37° | JIC 37° Male-female unions | Adattatori maschio-femmina JIC 37°




S180



S290



S280



S150

## ▶ Codos JIC 37° | Coudes JIC 37° | JIC 37° Elbows | Adattatori a 45° e 90° JIC 37°




S500




S650




S550



S675



S525




S690




S600



S615



S575



S625


## ▶ Tes y Cruz JIC 37° | Tés et Croix JIC 37° | JIC 37° Tees and Crosses | Adattatori a T e Croci JIC 37°



S605



S680




S685

► **Racores JIC 37° | Raccords JIC 37° | JIC 37° fittings | Raccordi JIC 37°**


► **Tes orientable JIC 37° | Tés orientables JIC 37° | JIC 37° Banjo Tees | Adattatori a T orientabili**




S610




S585



S635



S605



S580



S630

## Racores JIC 37°

Raccords JIC 37°  
 JIC 37° fittings  
 Raccordi JIC 37°

### Tuercas JIC 37°



Écrous JIC 37°  
 JIC 37° Nuts  
 Dado JIC 37°

TUBO PIPE	ROSCA THREAD	REFERENCIA PART N°
6	1/4	7/16" 20h UNF
8	5/16	1/2" 20h UNF
10	3/8	9/16" 18h UNF
12	1/2	3/4" 16h UNF
14-15-16	5/8	7/8" 14h UNF
18-20	-	1"1/16 12h UNF
-	3/4	1"1/16 12h UNF
25	1	1"5/16 12h UNF
30-32	1 1/4	1"5/8 12h UNF
38	1 1/2	1"7/8 12h UNF

### Férulas JIC 37° (Tubo Métrico)



Férules JIC 37° pour tube Métrique  
 JIC 37° sleeves Metric tube  
 Bussola JIC 37° (tubo Metrico)

TUBO PIPE	REFERENCIA PART N°
6	S12006
8	S12008
10	S12010
12	S12012
14	S12014
15	S12015
16	S12016
18	S12018
20	S12020
25	S12025
30	S12030
32	S12032
38	S12038

### Férulas JIC 37° (Tubo Gas)



Férules JIC 37° pour tube Gaz  
 37° JIC sleeves Gas tube  
 Bussola JIC 37° (tubo Gas)

TUBO PIPE	REFERENCIA PART N°
1/4	S12006W
3/4	S12020W

### Tapón hembra JIC 37°



Obtuteur femelle JIC 37° pour raccord  
 37° JIC Female plug  
 Tappo femmina girevole JIC 37°

TUBO PIPE	ROSCA THREAD	REFERENCIA PART N°
6	7/16" 20h UNF	S13006
8	1/2" 20h UNF	S13008
10	9/16" 18h UNF	S13010
12	3/4" 16h UNF	S13012
14-15-16	7/8" 14h UNF	S13016
18-20	1"1/16 12h UNF	S13020
25	1"5/16 12h UNF	S13025
30-32	1"5/8 12h UNF	S13032
38	1"7/8 12h UNF	S13038

### Tapón macho JIC 37°



Bouchon mâle JIC 37°  
 37° JIC Male plug  
 Tappo maschio JIC 37°

TUBO PIPE	ROSCA THREAD	REFERENCIA PART N°
6	7/16" 20h UNF	S14006
8	1/2" 20h UNF	S14008
10	9/16" 18h UNF	S14010
12	3/4" 16h UNF	S14012
14-15-16	7/8" 14h UNF	S14016
18-20	1"1/16 12h UNF	S14020
25	1"5/16 12h UNF	S14025
30-32	1"5/8 12h UNF	S14032
38	1"7/8 12h UNF	S14038

## Racores JIC 37°

Raccords JIC 37°

JIC 37° fittings

Raccordi JIC 37°

### Racor macho-macho JIC 37°



Adapteur droit mâle JIC x mâle JIC

Straight union JIC 37°

Niples di giunzione maschio-maschio JIC 37°

TUBO PIPE	ROSCA THREAD	REFERENCIA PART N°	
6	1/4	7/16" 20h UNF	<b>S26006</b>
8	5/16	1/2" 20h UNF	<b>S26008</b>
10	3/8	9/16" 18h UNF	<b>S26010</b>
12	1/2	3/4" 16h UNF	<b>S26012</b>
14-15-16	5/8	7/8" 14h UNF	<b>S26016</b>
18-20	3/4	1"1/16 12h UNF	<b>S26020</b>
25	1	1"5/16 12h UNF	<b>S26025</b>
30-32	1 1/4	1"5/8 12h UNF	<b>S26032</b>
38	1 1/2	1"7/8 12h UNF	<b>S26038</b>

### Racor macho JIC 37° - macho BSP




Adapteur mâle JIC x mâle gaz cyl équipé

Straight adaptor male JIC-male BSP

Niples di giunzione JIC37° -BSP

TUBO PIPE	ROSCA THREAD	R. P.	
6	1/4	7/16" 20h UNF 1/8" BSP	<b>S2300610</b>
6	1/4	7/16" 20h UNF 1/4" BSP	<b>S2300613</b>
6	1/4	7/16" 20h UNF 3/8" BSP	<b>S2300617</b>
8	5/16	1/2" 20h UNF 1/4" BSP	<b>S2300813</b>
8	5/16	1/2" 20h UNF 3/8" BSP	<b>S2300817</b>
10	3/8	9/16" 18h UNF 1/4" BSP	<b>S2301013</b>
10	3/8	9/16" 18h UNF 3/8" BSP	<b>S2301017</b>
10	3/8	9/16" 18h UNF 1/2" BSP	<b>S2301021</b>
12	1/2	3/4" 16h UNF 1/4" BSP	<b>S2301213</b>
12	1/2	3/4" 16h UNF 3/8" BSP	<b>S2301217</b>
12	1/2	3/4" 16h UNF 1/2" BSP	<b>S2301221</b>
12	1/2	3/4" 16h UNF 3/4" BSP	<b>S2301226</b>
14-15-16	5/8	7/8" 14h UNF 3/8" BSP	<b>S2301617</b>
14-15-16	5/8	7/8" 14h UNF 1/2" BSP	<b>S2301621</b>
14-15-16	5/8	7/8" 14 h UNF 3/4" BSP	<b>S2301626</b>
18-20	3/4	1"1/16 12h UNF 1/2" BSP	<b>S2302021</b>
18-20	3/4	1"1/16 12h UNF 3/4" BSP	<b>S2302026</b>
18-20	3/4	1"1/16 12h UNF 1" BSP	<b>S2302033</b>
25	1	1"5/16 12h UNF 3/4" BSP	<b>S2302526</b>
25	1	1"5/16 12h UNF 1" BSP	<b>S2302533</b>
25	1	1"5/16 12h UNF 1"1/4 BSP	<b>S2302542</b>
30-32	1 1/4	1"5/8 12h UNF 1"1/4 BSP	<b>S2303242</b>
38	1 1/2	1"7/8 12h UNF 1"1/4 BSP	<b>S2303842</b>
38	1 1/2	1"7/8 12h UNF 1"1/2 BSP	<b>S2303848</b>

### Racor hembra giratoria-hembra giratoria JIC 37°




Adapteur femelle tournante JIC x femelle tournante JIC 37°

Straight fitting with crimped nut JIC 37°

Niples femmina-femmina girevole JIC 37°

TUBO PIPE	ROSCA THREAD	REFERENCIA PART N°	
6	1/4	7/16" 20h UNF	<b>S73006</b>
8	5/16	1/2" 20h UNF	<b>S73008</b>
10	3/8	9/16" 18h UNF	<b>S73010</b>
12	1/2	3/4" 16h UNF	<b>S73012</b>
14-15-16	5/8	7/8" 14h UNF	<b>S73016</b>
18-20	3/4	1"1/16 12h UNF	<b>S73020</b>
25	1	1"5/16 12h UNF	<b>S73025</b>

### Racor macho JIC 37° - macho NPT




Adapteur mâle JIC x mâle NPT

Straight adaptor male JIC-male NPT

Niples di giunzione JIC 37°-NPT

TUBO PIPE	ROSCA THREAD	R. P.	
6	1/4	1/8" NPT 7/16" 20h UNF	<b>S2000610</b>
6	1/4	1/4" NPT 7/16" 20h UNF	<b>S2000613</b>
8	5/16	1/8" NPT 1/2" 20h UNF	<b>S2000810</b>
8	5/16	1/4" NPT 1/2" 20h UNF	<b>S2000813</b>
10	3/8	1/4" NPT 9/16" 18h UNF	<b>S2001013</b>
10	3/8	3/8" NPT 9/16" 18h UNF	<b>S2001017</b>
10	3/8	1/2" NPT 9/16" 18h UNF	<b>S2001021</b>
12	1/2	3/8" NPT 3/4" 16h UNF	<b>S2001217</b>
12	1/2	1/2" NPT 3/4" 16h UNF	<b>S2001221</b>
12	1/2	3/4" NPT 3/4" 16h UNF	<b>S2001226</b>
14-15-16	5/8	1/2" NPT 7/8" 14h UNF	<b>S2001621</b>
14-15-16	5/8	3/4" NPT 7/8" 14h UNF	<b>S2001626</b>
18-20	3/4	1/2" NPT 1"1/16 12h UNF	<b>S2002021</b>
18-20	3/4	3/4" NPT 1"1/16 12h UNF	<b>S2002026</b>
18-20	3/4	1" NPT 1"1/16 12h UNF	<b>S2002033</b>
25	1	3/4" NPT 1"5/16 12h UNF	<b>S2002526</b>
25	1	1" NPT 1"5/16 12h UNF	<b>S2002533</b>
32	1 1/4	1" NPT 1"5/8 12h UNF	<b>S2003233</b>
32	1 1/4	1"1/4 NPT 1"5/8 12h UNF	<b>S2003242</b>
38	1 1/2	1"1/4 NPT 1"7/8 12h UNF	<b>S2003842</b>
38	1 1/2	1"1/2 NPT 1"7/8 12h UNF	<b>S2003848</b>

### Racor macho JIC 37° - macho BSPT



Adapteur mâle JIC x mâle gaz conique

Straight adaptor male JIC-male BSPT


Niples di giunzione JIC 37°-BSPT

TUBO PIPE	ROSCA THREAD	R. P.	
6	1/4	1/8" BSPT 7/16" 20h UNF	<b>S2100610</b>
6	1/4	1/4" BSPT 7/16" 20h UNF	<b>S2100613</b>
8	5/16	1/8" BSPT 1/2" 20h UNF	<b>S2100810</b>
8	5/16	1/4" BSPT 1/2" 20h UNF	<b>S2100813</b>
10	3/8	1/4" BSPT 9/16" 18h UNF	<b>S2101013</b>
10	3/8	3/8" BSPT 9/16" 18h UNF	<b>S2101017</b>
10	3/8	1/2" BSPT 9/16" 18h UNF	<b>S2101021</b>
12	1/2	1/4" BSPT 3/4" 16h UNF	<b>S2101213</b>
12	1/2	3/8" BSPT 3/4" 16h UNF	<b>S2101217</b>
12	1/2	1/2" BSPT 3/4" 16h UNF	<b>S2101221</b>
14-15-16	5/8	3/8" BSPT 7/8" 14h UNF	<b>S2101617</b>
14-15-16	5/8	1/2" BSPT 7/8" 14h UNF	<b>S2101621</b>
14-15-16	5/8	3/4" BSPT 7/8" 14h UNF	<b>S2101626</b>
18-20	3/4	1/2" BSPT 1"1/16 12h UNF	<b>S2102021</b>
18-20	3/4	3/4" BSPT 1"1/16 12h UNF	<b>S2102026</b>
25	1	3/4" BSPT 1"5/16 12h UNF	<b>S2102526</b>
25	1	1" BSPT 1"5/16 12h UNF	<b>S2102533</b>
30-32	1 1/4	1" BSPT 1"5/8 12h UNF	<b>S2103233</b>
30-32	1 1/4	1"1/4 BSPT 1"5/8 12h UNF	<b>S2103242</b>
38	1 1/2	1"1/2 BSPT 1"7/8 12h UNF	<b>S2103848</b>

## Racores JIC 37°

Raccords JIC 37°  
 JIC 37° fittings  
 Raccordi JIC 37°


### Racor macho BSP - hembra giratoria JIC 37°



Adapteur femelle tournante JIC x mâle gaz cyl équipé  
 Adaptor swivel nut JIC-male BSP  
 Niples maschio-femmina BSP-JIC 37°

TUBO PIPE		ROSCA THREAD		R. P.
6	1/4	M 1/8" BSP	F 7/16" 20h UNF	<b>S1800610</b>
8	5/16	M 1/4" BSP	F 1/2" 20h UNF	<b>S1800813</b>
8	5/16	M 3/8" BSP	F 1/2" 20h UNF	<b>S1800817</b>
10	3/8	M 1/4" BSP	F 9/16" 18h UNF	<b>S1801013</b>
10	3/8	M 3/8" BSP	F 9/16" 18h UNF	<b>S1801017</b>
12	1/2	M 3/8" BSP	F 3/4" 16h UNF	<b>S1801217</b>
14-15-16	5/8	M 1/2" BSP	F 7/8" 14h UNF	<b>S1801621</b>
18-20	3/4	M 3/4" BSP	F 1"1/16 12h UNF	<b>S1802026</b>
25	1	M 1" BSP	F 1"5/16 12h UNF	<b>S1802533</b>
30-32	1 1/4	M 1"1/4 BSP	F 1"5/8 12h UNF	<b>S1803242</b>
38	1 1/2	M 1"1/2 BSP	F 1"7/8 12h UNF	<b>S1803848</b>

### Racor macho JIC 37° - hembra fija BSP



Adapteur mâle JIC x femelle gaz cyl  
 Adaptor male JIC 37°-fixed female BSP  
 Niples maschio-femmina JIC 37°-BSP

TUBO PIPE		ROSCA THREAD		R. P.
6	1/4	M 7/16" 20h UNF	F 1/8" BSP	<b>S2800610</b>
6	1/4	M 7/16" 20h UNF	F 1/4" BSP	<b>S2800613</b>
8	5/16	M 1/2" 20h UNF	F 1/8" BSP	<b>S2800810</b>
8	5/16	M 1/2" 20h UNF	F 1/4" BSP	<b>S2800813</b>
10	3/8	M 9/16" 18h UNF	F 1/4" BSP	<b>S2801013</b>
10	3/8	M 9/16" 18h UNF	F 3/8" BSP	<b>S2801017</b>
12	1/2	M 3/4" 16h UNF	F 3/8" BSP	<b>S2801217</b>
12	1/2	M 3/4" 16h UNF	F 1/2" BSP	<b>S2801221</b>
14-15-16	5/8	M 7/8" 14h UNF	F 1/2" BSP	<b>S2801621</b>
18-20	3/4	M 1"1/16 12h UNF	F 1/2" BSP	<b>S2802021</b>
18-20	3/4	M 1"1/16 12h UNF	F 3/4" BSP	<b>S2802026</b>
25	1	M 1"5/16 12h UNF	F 1" BSP	<b>S2802533</b>
30-32	1 1/4	M 1"5/8 12h UNF	F 1"1/4 BSP	<b>S2803242</b>
38	1 1/2	M 1"7/8 12h UNF	F 1"1/2 BSP	<b>S2803848</b>


### Racor unión macho-hembra JIC 37°



Reducteur mâle JIC x femelle JIC  
 Reducer adaptor JIC-JIC  
 Riduzione maschio-femmina JIC 37°

TUBO PIPE		ROSCA THREAD		R. P.
10	6	F 9/16" 18h UNF	M 7/16" 20h UNF	<b>S2901006</b>
12	6	F 3/4" 16h UNF	M 7/16" 20h UNF	<b>S2901206</b>
8	12	F 3/4" 16h UNF	M 1/2" 20h UNF	<b>S2901208</b>
12	10	F 3/4" 16h UNF	M 9/16" 18h UNF	<b>S2901210</b>
14-15-16	6	F 7/8" 14h UNF	M 7/16" 20h UNF	<b>S2901606</b>
14-15-16	10	F 7/8" 14h UNF	M 9/16" 18h UNF	<b>S2901610</b>
14-15-16	12	F 7/8" 14h UNF	M 3/4" 16h UNF	<b>S2901612</b>
18-20	6	F 1"1/16 12h UN	M 7/16" 20h UNF	<b>S2902006</b>
18-20	12	F 1"1/16 12h UN	M 3/4" 16h UNF	<b>S2902012</b>
25	18-20	F 1"5/16 12h UN	M 1"1/16 12h UN	<b>S2902520</b>
30-32	25	F 1"5/8 12h UN	M 1"5/16 12h UN	<b>S2903225</b>
38	30-32	F 1"7/8 12h UN	M 1"5/8 12h UN	<b>S2903832</b>

### Racor macho BSPT - hembra giratoria JIC 37°



Adapteur femelle tournante JIC x mâle gaz conique  
 Adaptor male BSPT-swivel female JIC 37°  
 Niples maschio-femmina BSPT-JIC 37°

TUBO PIPE		ROSCA THREAD		R. P.
6	1/4	M 1/4" BSPT	F 7/16" 20h UNF	<b>S1500613</b>
8	5/16	M 1/4" BSPT	F 1/2" 20h UNF	<b>S1500813</b>
10	3/8	M 1/4" BSPT	F 9/16" 18h UNF	<b>S1501013</b>
12	1/2	M 1/4" BSPT	F 3/4" 16h UNF	<b>S1501213</b>
12	1/2	M 3/8" BSPT	F 3/4" 16h UNF	<b>S1501217</b>
16	5/8	M 1/2" BSPT	F 7/8" 14h UNF	<b>S1501621</b>
20	3/4	M 1/2" BSPT	F 1"1/16 12h UNF	<b>S1502021</b>
20	3/4	M 3/4" BSPT	F 1"1/16 12h UNF	<b>S1502026</b>
25	1	M 3/4" BSPT	F 1"5/16 12h UNF	<b>S1502526</b>
25	1	M 1" BSPT	F 1"5/16 12h UNF	<b>S1502533</b>
32	1 1/4	M 1"1/4 BSPT	F 1"5/8 12h UNF	<b>S1503242</b>

## Racores JIC 37°

Raccords JIC 37°  
 JIC 37° fittings  
 Raccordi JIC 37°


### Codo 90° macho JIC 37° - macho BSP orientable



Adapteur orientable coude 90° mâle JIC 37° x mâle gaz cyl + o'ring équipé  
**90° Banjo elbow male JIC 37°-BSP Banjo male**  
 Adattatore a 90° maschio-maschio orientabile JIC 37°-BSP

TUBO PIPE		ROSCA THREAD		R. P.	
6	1/4	7/16" 20h UNF	1/8" BSP	S6000610	
6	1/4	7/16" 20h UNF	1/4" BSP	S6000613	
8	5/16	1/2" 20h UNF	1/8" BSP	S6000810	
8	5/16	1/2" 20h UNF	1/4" BSP	S6000813	
10	3/8	9/16" 18h UNF	1/4" BSP	S6001013	
10	3/8	9/16" 18h UNF	3/8" BSP	S6001017	
10	3/8	9/16" 18h UNF	1/2" BSP	S6001021	
12	1/2	3/4" 16h UNF	1/4" BSP	S6001213	
12	1/2	3/4" 16h UNF	3/8" BSP	S6001217	
12	1/2	3/4" 16h UNF	1/2" BSP	S6001221	
16	5/8	7/8" 14h UNF	3/8" BSP	S6001617	
14-15-16	5/8	7/8" 14h UNF	1/2" BSP	S6001621	
18-20	3/4	1"1/16 12h UNF	1/2" BSP	S6002021	
18-20	3/4	1"1/16 12h UNF	3/4" BSP	S6002026	
18-20	3/4	1"1/16 12h UNF	1" BSP	S6002033	
25	1	1"5/16 12h UNF	3/4" BSP	S6002526	
25	1	1"5/16 12h UNF	1" BSP	S6002533	
30-32	1 1/4	1"5/8 12h UNF	1" BSP	S6003233	
30-32	1 1/4	1"5/8 12h UNF	1"1/4 BSP	S6003242	
38	1 1/2	1"7/8 12h UNF	1"1/4 BSP	S6003842	
38	1 1/2	1"7/8 12h UNF	1"1/2 BSP	S6003848	

### Codo 45° macho JIC 37° - macho BSP orientable



Adapteur coude 45° mâle JIC 37° x mâle gaz cyl + o'ring équipé  
**45° Elbow male JIC 37°-BSP Banjo male**  
 Adattatore a 45° maschio JIC 37°-maschio BSP orientabile

TUBO PIPE		ROSCA THREAD		R. P.	
8	5/16	1/2" 20h UNF	1/4" BSP	S6150813	
10	3/8	9/16" 18h UNF	1/4" BSP	S6151013	
12	1/2	3/4" 16h UNF	3/8" BSP	S6151217	
12	1/2	3/4" 16h UNF	1/2" BSP	S6151221	
14-15-16	5/8	7/8" 14h UNF	1/2" BSP	S6151621	
18-20	3/4	1"1/16 12h UNF	1/2" BSP	S6152021	
18-20	3/4	1"1/16 12h UNF	3/4" BSP	S6152026	
25	1	1"5/16 12h UNF	1" BSP	S6152533	

### Codo 90° macho JIC 37° - macho UNF orientable



Adapteur orientable coude 90° mâle JIC 37° x mâle UNF + o'ring équipé  
**90° Banjo elbow male JIC 37°-unf Banjo male**  
 Adattatore a 90° maschio-maschio orientabile JIC 37°-UNF

TUBO PIPE		ROSCA THREAD		R. P.	
6	1/4	7/16" 20h JIC	7/16" 20h UNF	S5750611	
6	1/4	7/16" 20h JIC	1/2" 20h UNF	S5750612	
8	5/16	1/2" 20h JIC	1/2" 20h UNF	S5750812	
10	3/8	9/16" 18h JIC	9/16" 18h UNF	S5751014	
10	3/8	9/16" 18h JIC	3/4" 16h UNF	S5751019	
12	1/2	3/4" 16h JIC	3/4" 16h UNF	S5751222	
14-15-16	5/8	7/8" 14h JIC	3/4" 16h UNF	S5751619	
14-15-16	5/8	7/8" 14h JIC	7/8" 14h UNF	S5751622	
18-20	3/4	1"1/16 12h JIC	7/8" 14h UNF	S5752022	
18-20	3/4	1"1/16 12h JIC	1"1/16 12h UNF	S5752027	
25	1	1"5/16 12h JIC	1"1/16 12h UNF	S5752527	
25	1	1"5/16 12h JIC	1"5/16 12h UNF	S5752533	
30-32	1 1/4	1"5/8 12h JIC	1"5/8 12h UNF	S5753241	
38	1 1/2	1"7/8 12h JIC	1"7/8 12h UNF	S5753848	

### Codo 90° macho JIC 37° - macho métrico orientable



Adapteur orientable coude 90° mâle JIC 37° x mâle Métrique + o'ring équipé  
**90° Elbow male JIC 37°-Metric Banjo male**  
 Adattatore a 90° maschio-maschio orientabile JIC 37° Metrico

TUBO PIPE		ROSCA THREAD		REFERENCIA PART N°	
6	1/4	7/16" 20h UNF	M10x1	S6250610	
8	5/16	1/2" 20h UNF	M12x1,5	S6250812	
10	3/8	9/16" 18h UNF	M14x1,5	S6251014	
12	1/2	3/4" 16h UNF	M16x1,5	S6251216	
12	1/2	3/4" 16h UNF	M18x1,5	S6251218	
14-15-16	5/8	7/8" 14h UNF	M18x1,5	S6251618	
14-15-16	5/8	7/8" 14h UNF	M22x1,5	S6251622	
18-20	3/4	1"1/16 12h UNF	M22x1,5	S6252022	
18-20	3/4	1"1/16 12h UNF	M27x2	S6252027	
25	1	1"5/16 12h UNF	M33x2	S6252533	



# Racores JIC 37°

Raccords JIC 37°  
JIC 37° fittings  
Raccordi JIC 37°



## Codo 90° macho - macho JIC 37°



Adapteur coude 90° mâle JIC 37° x mâle JIC 37°  
90° Male elbow male JIC 37°-male JIC 37°  
Adattatore a 90° maschio-maschio JIC 37°

TUBO PIPE		ROSCA THREAD	REFERENCIA PART N°
6	1/4	7/16" 20h UNF	S50006
8	5/16	1/2" 20h UNF	S50008
10	3/8	9/16" 18h UNF	S50010
12	1/2	3/4" 16h UNF	S50012
14-15-16	5/8	7/8" 14h UNF	S50016
18-20	3/4	1"1/16 12h UNF	S50020
25	1	1"5/16 12h UNF	S50025
30-32	1 1/4	1"5/8 12h UNF	S50032
38	1 1/2	1"7/8 12h UNF	S50038


## Codo 90° macho - hembra giratoria JIC 37°



Adapteur coude 90° mâle JIC 37° x femelle tournante JIC 37°  
90° Elbow swivel nut JIC 37°-male JIC 37°  
Adattatore a 90° maschio-femmina girevole JIC 37°

TUBO PIPE		ROSCA THREAD	REFERENCIA PART N°
6	1/4	7/16" 20h UNF	S67506
8	5/16	1/2" 20h UNF	S67508
10	3/8	9/16" 18h UNF	S67510
12	1/2	3/4" 16h UNF	S67512
14-15-16	5/8	7/8" 14h UNF	S67516
18-20	3/4	1"1/16 12h UNF	S67520
25	1	1"5/16 12h UNF	S67525
30-32	1 1/4	1"5/8 12h UNF	S67532
38	1 1/2	1"7/8 12h UNF	S67538

## Codo 90° pasatabiques JIC 37°



Adapteur coude 90° passe cloison mâle JIC 37° x mâle JIC 37° équipé  
90° Bulkhead coupling male JIC 37°-male JIC 37°  
Adattatore a 90° passaparete maschio-maschio JIC 37°

TUBO PIPE		ROSCA THREAD	REFERENCIA PART N°
6	1/4	7/16" 20h UNF	S65006
8	5/16	1/2" 20h UNF	S65008
10	3/8	9/16" 18h UNF	S65010
12	1/2	3/4" 16h UNF	S65012
14-15-16	5/8	7/8" 14h UNF	S65016
18-20	3/4	1"1/16 12h UNF	S65020
25	1	1"5/16 12h UNF	S65025

## Codo 90° macho JIC 37° - macho NPT



Adapteur coude 90° mâle JIC 37° x mâle NPT  
90° Male elbow male JIC 37°-male NPT  
Adattatore a 90° maschio-maschio JIC 37°-NPT

TUBO PIPE		ROSCA THREAD	R. P.	REFERENCIA PART N°
6	1/4	7/16" 20h UNF	1/8" NPT	S5250610
6	1/4	7/16" 20h UNF	1/4" NPT	S5250613
8	5/16	1/2" 20h UNF	1/8" NPT	S5250810
8	5/16	1/2" 20h UNF	1/4" NPT	S5250813
10	3/8	9/16" 18h UNF	1/4" NPT	S5251013
10	3/8	9/16" 18h UNF	3/8" NPT	S5251017
10	3/8	9/16" 18h UNF	1/2" NPT	S5251021
12	1/2	3/4" 16h UNF	1/4" NPT	S5251213
12	1/2	3/4" 16h UNF	3/8" NPT	S5251217
12	1/2	3/4" 16h UNF	1/2" NPT	S5251221
14-15-16	5/8	7/8" 14h UNF	3/8" NPT	S5251617
14-15-16	5/8	7/8" 14h UNF	1/2" NPT	S5251621
14-15-16	5/8	7/8" 14h UNF	3/4" NPT	S5251626
18-20	3/4	1"1/16 12h UNF	1/2" NPT	S5252021
18-20	3/4	1"1/16 12h UNF	3/4" NPT	S5252026
25	1	1"5/16 12h UNF	3/4" NPT	S5252526
25	1	1"5/16 12h UNF	1" NPT	S5252533
30-32	1 1/4	1"5/8 12h UNF	1" NPT	S5253233
30-32	1 1/4	1"5/8 12h UNF	1 1/4" NPT	S5253242
38	1 1/2	1"7/8 12h UNF	1"1/2 NPT	S5253848


## Codo 90° macho JIC 37° - macho BSPT



Adapteur coude 90° mâle JIC 37° x mâle gaz conique  
90° male elbow male JIC 37° -male BSPT  
Adattatore a 90° maschio-maschio JIC 37°-BSPT

TUBO PIPE		ROSCA THREAD	R. P.	REFERENCIA PART N°
6	1/4	7/16" 20h UNF	1/8" BSPT	S5500610
6	1/4	7/16" 20h UNF	1/4" BSPT	S5500613
8	5/16	1/2" 20h UNF	1/8" BSPT	S5500810
8	5/16	1/2" 20h UNF	1/4" BSPT	S5500813
10	3/8	9/16" 18h UNF	1/4" BSPT	S5501013
10	3/8	9/16" 18h UNF	3/8" BSPT	S5501017
10	3/8	9/16" 18h UNF	1/2" BSPT	S5501021
12	1/2	3/4" 16h UNF	1/4" BSPT	S5501213
12	1/2	3/4" 16h UNF	3/8" BSPT	S5501217
12	1/2	3/4" 16h UNF	1/2" BSPT	S5501221
14-15-16	5/8	7/8" 14h UNF	3/8" BSPT	S5501617
14-15-16	5/8	7/8" 14h UNF	1/2" BSPT	S5501621
14-15-16	5/8	7/8" 14h UNF	3/4" BSPT	S5501626
18-20	3/4	1"1/16 12h UNF	1/2" BSPT	S5502021
18-20	3/4	1"1/16 12h UNF	3/4" BSPT	S5502026
25	1	1"5/16 12h UNF	3/4" BSPT	S5502526
25	1	1"5/16 12h UNF	1" BSPT	S5502533
30-32	1 1/4	1"5/8 12h UNF	1" BSPT	S5503233
30-32	1 1/4	1"5/8 12h UNF	1"1/4 BSPT	S5503242
38	1 1/2	1"7/8 12h UNF	1"1/2 BSPT	S5503848

## Codo 45° macho - hembra giratoria JIC 37°



Adapteur coude 45° mâle JIC 37° x femelle tournante JIC 37°  
45° Elbow male-swivel nut JIC 37°  
Adattatore a 45° maschio-femmina girevole JIC 37°

TUBO PIPE		ROSCA THREAD	REFERENCIA PART N°
6	1/4	7/16" 20h UNF	S69006
8	5/16	1/2" 20h UNF	S69008
10	3/8	9/16" 18h UNF	S69010
12	1/2	3/4" 16h UNF	S69012
14-15-16	5/8	7/8" 14h UNF	S69016
18-20	3/4	1"1/16 12h UNF	S69020
25	1	1"5/16 12h UNF	S69025



## Racores JIC 37°

Raccords JIC 37°  
 JIC 37° fittings  
 Raccordi JIC 37°

### Tes macho-macho-macho JIC 37°




Tés égaux mâle JIC 37°

Union Tee male JIC 37°

Adattatore a T maschio JIC 37°

TUBO PIPE		ROSCA THREAD	REFERENCIA PART N°
6	1/4	7/16" 20h UNF	<b>S50506</b>
8	5/16	1/2" 20h UNF	<b>S50508</b>
10	3/8	9/16" 18h UNF	<b>S50510</b>
12	1/2	3/4" 16h UNF	<b>S50512</b>
14-15-16	5/8	7/8" 14h UNF	<b>S50516</b>
18-20	3/4	1"1/16 12h UNF	<b>S50520</b>
25	1	1"5/16 12h UNF	<b>S50525</b>
30-32	1 1/4	1"5/8 12h UNF	<b>S50532</b>
38	1 1/2	1"7/8 12h UNF	<b>S50538</b>

### Tes macho-hembra giratoria-macho JIC 37°



Tés égaux tournantes JIC 37° au centre

Swivel brunch Tee male JIC 37°-swivel nut JIC 37°-male JIC 37°

Adattatore a T maschio-femmina girevole-maschio JIC 37°

TUBO PIPE		ROSCA THREAD	REFERENCIA PART N°
6	1/4	7/16" 20h UNF	<b>S68506</b>
8	5/16	1/2" 20h UNF	<b>S68508</b>
10	3/8	9/16" 18h UNF	<b>S68510</b>
12	1/2	3/4" 16h UNF	<b>S68512</b>
14-15-16	5/8	7/8" 14h UNF	<b>S68516</b>
18-20	3/4	1"1/16 12h UNF	<b>S68520</b>
25	1	1"5/16 12h UNF	<b>S68525</b>
30-32	1 1/4	1"5/8 12h UNF	<b>S68532</b>
38	1 1/2	1"7/8 12h UNF	<b>S68538</b>

### Tes macho-macho-hembra giratoria JIC 37°




Tés égaux tournantes JIC 37° au latéral

Swivel run Tee male JIC 37°-swivel nut JIC 37°

Adattatore a T maschio-maschio-femmina girevole JIC 37°

TUBO PIPE		ROSCA THREAD	REFERENCIA PART N°
6	1/4	7/16" 20h UNF	<b>S68006</b>
8	5/16	1/2" 20h UNF	<b>S68008</b>
10	3/8	9/16" 18h UNF	<b>S68010</b>
12	1/2	3/4" 16h UNF	<b>S68012</b>
14-15-16	5/8	7/8" 14h UNF	<b>S68016</b>
18-20	3/4	1"1/16 12h UNF	<b>S68020</b>
25	1	1"5/16 12h UNF	<b>S68025</b>
30-32	1 1/4	1"5/8 12h UNF	<b>S68032</b>
38	1 1/2	1"7/8 12h UNF	<b>S68038</b>

### Te macho JIC 37° - macho orientable BSP central




Té orientable mâle JIC 37° x mâle gaz cyl + o'ring x mâle JIC 37° équipé

Tee male JIC 37°-BSP central Banjo male-male JIC 37°

Raccordo a T JIC 37° orientabile centrale BSP (maschio-maschio orientabile-maschio)

TUBO PIPE		ROSCA THREAD		R. P.
6	1/4	7/16" 20h UNF	1/4" BSP	<b>S6100613</b>
8	5/16	1/2" 20h UNF	1/4" BSP	<b>S6100813</b>
10	3/8	9/16" 18h UNF	1/4" BSP	<b>S6101013</b>
12	1/2	3/4" 16h UNF	3/8" BSP	<b>S6101217</b>
14-15-16	5/8	7/8" 14h UNF	1/2" BSP	<b>S6101621</b>
18-20	3/4	1"1/16 12h UNF	3/4" BSP	<b>S6102026</b>
25	1	1"5/16 12h UNF	1" BSP	<b>S6102533</b>
30-32	1 1/4	1"5/8 12h UNF	1"1/4 BSP	<b>S6103242</b>

### Te macho JIC 37° - macho orientable UNF central



Té orientable mâle JIC 37° x mâle UNF + o'ring x mâle JIC 37° équipé

Tee male JIC 37°-central Banjo UNF-male JIC 37°


Raccordo a T JIC 37° orientabile centrale UNF (maschio-maschio orientabile-maschio)

TUBO PIPE		ROSCA THREAD	REFERENCIA PART N°
6	1/4	7/16" 20h UNF	<b>S5850611</b>
8	5/16	1/2" 20h UNF	<b>S5850812</b>
10	3/8	9/16" 18h UNF	<b>S5851014</b>
12	1/2	3/4" 16h UNF	<b>S5851219</b>
14-15-16	5/8	7/8" 14h UNF	<b>S5851622</b>
18-20	3/4	1"1/16 12h UNF	<b>S5852027</b>
25	1	1"5/16 12h UNF	<b>S5852533</b>

## Racores JIC 37°

Raccords JIC 37°  
JIC 37° fittings  
Raccordi JIC 37°

### Te macho JIC 37° - macho orientable métrico central




Té orientable mâle JIC 37° x mâle Métrique + o'ring x mâle JIC 37° équipé

**Tee male JIC 37°-Metric central Banjo male-male JIC 37°**

Raccordo a T JIC 37° orientabile centrale Metrico (maschio-maschio orientabile-maschio)

TUBO PIPE		ROSCA THREAD		REFERENCIA PART N°
6	1/4	7/16" JIC	M10X1	<b>S6350610</b>
8	5/16	1/2" JIC	M12X1.5	<b>S6350812</b>
10	3/8	9/16" JIC	M14X1.5	<b>S6351014</b>
12	1/2	3/4" JIC	M18x1.5	<b>S6351218</b>
14-15-16	5/8	7/8" JIC	M18X1.5	<b>S6351618</b>
14-15-16	5/8	7/8" JIC	M22X1.5	<b>S6351622</b>
18-20	3/4	1"1/16 JIC	M27X2	<b>S6352027</b>
25	1	1"5/16 JIC	M33X2	<b>S6352533</b>

### Te macho JIC 37° - macho orientable BSP lateral




Té orientable mâle JIC 37° x mâle JIC 37° x mâle gaz cyl + o'ring équipé

**Tee male JIC 37°-BSP lateral Banjo male-male JIC 37°**

Raccordo a T JIC 37° orientabile laterale BSP (maschio-maschio-maschio orientabile)

TUBO PIPE		ROSCA THREAD		R. P.
8	5/16	1/2" 20h UNF	1/4" BSP	<b>S6050813</b>
10	3/8	9/16" 18h UNF	1/4" BSP	<b>S6051013</b>
12	1/2	3/4" 16h UNF	3/8" BSP	<b>S6051217</b>
14-15-16	5/8	7/8" 14h UNF	1/2" BSP	<b>S6051621</b>
18-20	3/4	1"1/16 12h UNF	3/4" BSP	<b>S6052026</b>
25	1	1"5/16 12h UNF	1" BSP	<b>S6052533</b>
30-32	1 1/4	1"5/8 12h UNF	1"1/4 BSP	<b>S6053242</b>
38	1 1/2	1"7/8 12h UNF	1"1/2 BSP	<b>S6053848</b>

### Te macho JIC 37° - macho orientable UNF lateral




Té orientable mâle JIC 37° x mâle JIC 37°x mâle UNF + o'ring équipé

**Tee male JIC 37°-lateral Banjo UNF-male JIC 37°**

Raccordo a T JIC 37° orientabile laterale UNF (maschio-maschio-maschio orientabile)

TUBO PIPE		ROSCA THREAD		REFERENCIA PART N°
6	1/4	7/16" JIC	7/16" UNF	<b>S5800611</b>
8	5/16	1/2" JIC	1/2" UNF	<b>S5800812</b>
10	3/8	9/16" JIC	9/16" UNF	<b>S5801014</b>
16	5/8	7/8" JIC	7/8" UNF	<b>S5801622</b>
20	3/4	1"1/16 JIC	1"1/16 UNF	<b>S5802027</b>
25	1	1"5/16 JIC	1"5/16 UNF	<b>S5802533</b>

### Te macho JIC 37° - macho orientable métrico lateral



Té orientable mâle JIC 37° x mâle JIC 37°x mâle Métrique + o'ring équipé

**Tee male JIC 37°-Metric lateral Banjo male-male JIC 37°**

Raccordo a T JIC 37° orientabile laterale Metrico (maschio-maschio-maschio orientabile)

TUBO PIPE		ROSCA THREAD		REFERENCIA PART N°
12	1/2	3/4" 16h UNF	M16x1,5	<b>S6301216</b>
12	1/2	3/4" 16h UNF	M18x1,5	<b>S6301218</b>
14-15-16	5/8	7/8" 14h UNF	M18x1,5	<b>S6301618</b>
14-15-16	5/8	7/8" 14h UNF	M22x1,5	<b>S6301622</b>
18-20	3/4	1"1/16 12h UNF	M27X1,5	<b>S6302027</b>
25	1	1"5/16 12h UNF	M33x2	<b>S6302533</b>